

Monitor Housing for LVR3

INON Inc. is pleased to announce official release of 『Monitor Housing for LVR3』 on March 1st, 2017. The 『Monitor Housing for LVR3』 is a dedicated underwater housing attached on INON 『[SD Mount Base UWH1](#)』 (*2) to use Sony Live-View Remote 『RM-LVR3』 (*1) which is bundled with Sony Action Cam 『FDR-X3000R』 (*1)/ 『HDR-AS300R』 (*1).

- ・ 『Monitor Housing for LVR3』(*2)(*3)
 - Release date: March 1st, 2017
 - JAN Code: 456212143 841 5



Left: 『Monitor Housing for LVR3』 front
Center: 『Monitor Housing for LVR3』 with packaged Shade Hood
Right: 『Monitor Housing for LVR3』 back



『Monitor Housing for LVR3』+『SD Mount Base UWH1』+MPK-UWH1 / FDR-X3000R(HDR-AS300R)

- (*1) Contact Sony Marketing Inc. for detail of camera / Live-View Remote. INON Inc. confirms product compatibility based on a camera available in Japan.
- (*2) Live-View Remote is only usable when the housing is appropriately attached on 『SD Mount Base UWH1』 . Otherwise Wi-Fi connection between the remote/camera will be disconnected.
- (*3) On/stand by button is only accessible. Start/stop recording and change camera setting need to be controlled by camera side.

Please also refer to related news below

Accessory for Sony FDR-X3000,HDR-AS300 / MPK-UWH1 (October 27,2016)
<http://inonnews.blogspot.jp/2016/10/accessory-for-sonyfdrx3000mpk-uwh1.html>

■ Compatible Product ■

- Sony 『FDR-X3000R』 / 『MPK-UWH1』 + INON 『SD Mount Base UWH1』
- Sony 『HDR-AS300R』 / 『MPK-UWH1』 + INON 『SD Mount Base UWH1』

(*This product is only compatible with Live-View Remote Kit)

■ 『Monitor Housing for LVR3』 Features ■

- Simply yet rigid cylinder shape underwater housing with 60m (197ft) depth rating supporting power switch operation.
- This product is attached on the 『[SD Mount Base UWH1](#)』 to use the live-view monitor underwater.
- Packaged Shade Hood suppresses reflection of the monitor supporting comfortable visual contact even in bright conditions. The Shade Hood is removable as necessary.
- The Shade Hood is equipped with 360 degree rotatable flange to cut unnecessary ambient light from any direction.
- The lid has conventional M52 screw mount enabling to attach INON 『[UCL-165 M67](#)』/『[UCL-330](#)』 close-up lens via optional 『Step-up Ring 52-67』 to magnify the monitor image. (*4)

『Monitor Housing for LVR3』 specifications

-Outer diameter/length: (excluding protruded parts)	φ80.2mm(3.16in)x36.1mm(1.42in) φ80.2mm(3.16in)×71.8mm(2.83in) with packaged Shade Hood
-Weight (including LVR3) :	207g(7.3oz)[air] / Approx.65g(2.3oz)[underwater] 237g(8.4oz)[air] / Approx.80g(2.8oz)[underwater] with packaged Shade Hood
-Depth rating:	60m (197ft)
-Body material/finishing:	Corrosion resistant aluminum alloy/rigid black alumite/PC, etc.
-Monitor glass:	Optical glass / anti-reflection coating

(*4) Attaching the 『UCL-165M67』magnifies monitor image by approx.15% and 『UCL-330』magnifies by approx.8%. Using more powerful lens than the 『UCL-165M67』 will have vignetting on image corners.

■ Installation ■

<Installing Live-View Remote>



Easy installation: Place Live-View Remote in the housing and close the lid

<Installing Monitor Housing on SD Mount Base UWH1>



Fixed with packaged 2 x cap screws.

● Set-up Example ●



- Sony 「FDR-X3000R(HDR-AS300R)」+ Sony「MPK-UWH1」
- 「SD Mount Base UWH1」 (with packaged Mount Adapter for SD Mount Base/SD Front Mask)
- 「UFL-G140 SD」
- 「D Holder」 (*Single D Holder can be attached on either side)
- 「Monitor Housing for LVR3」



- Sony 「FDR-X3000R(HDR-AS300R)」 + Sony 「MPK-UWH1」
- 「SD Mount Base UWH1」 (with packaged Mount Adapter for SD Mount Base/SD Front Mask)
- 「UFL-G140 SD」
- 「D Holder」
- 「Direct Base YS RT」
- 「Single Light Holder LF」
- 「LF2700-W」
- 「Monitor Housing for LVR3」



- Sony 「FDR-X3000R(HDR-AS300R)」 + Sony 「MPK-UWH1」
- 「SD Mount Base UWH1」 (with packaged Mount Adapter for SD Mount Base/SD Front Mask)
- 「UFL-G140 SD」
- 「D Holder」
- 「Direct Base YS RT」
- 「Single Light Holder LF」
- 「LF2700-W」
- 「Monitor Housing for LVR3」 (With packaged Shade Hood)



- Sony 「FDR-X3000R(HDR-AS300R)」 + Sony 「MPK-UWH1」
- 「SD Mount Base UWH1」(with packaged Mount Adapter for SD Mount Base/SD Front Mask)
- 「UFL-G140 SD」
- 「D Holder」
- 「Direct Base YS RT」
- 「Single Light Holder LF」
- 「LF2700-W」
- 「Monitor Housing for LVR3」
- 「Step-up Ring 52-67」
- 「UCL-165M67」 or 「UCL-330」

■ Relative Information on INON Website ■

- SD Mount Base UWH1
<http://www.inon.jp/products/gopro/sony/uwh1.html>
- 『UFL-G140 SD』 Underwater Semi-fisheye Conversion Lens
<http://www.inon.jp/products/gopro/uflg140sd.html>
- 『UCL-G165 SD』 Underwater Wide Close-up Lens
<http://www.inon.jp/products/gopro/uclg165sd.html>
- D Holder
<http://www.inon.jp/products/armsystem/base.html#dholder>

* 『Sony』 and 『Action Cam』 are trademarks or registered trademarks of 『Sony Corporation』/
『Sony Marketing Inc.』.

February 27, 2017
INON INC.

*Press release information is as of February 27, 2017 and subject to change without prior notice.

INON

The home of ultimate underwater imaging gear

www.inon.jp